



**Federal Aviation  
Administration**

# Airport Disability Compliance

## Nursing Mothers Rooms: Accessibility and Other Requirements

*Office Of Civil Rights*

*ACHIEVING SAFETY  
THROUGH DIVERSITY*

Presented to: 2020 NCRTC Participants

Date: August 4, 2020

*Office Of Civil Rights*

*ACHIEVING SAFETY  
THROUGH DIVERSITY*



**Federal Aviation  
Administration**

# Training Objective

Increase awareness and understanding:

- Friendly Airport for Mothers Act (FAM) requirements incorporated into the FAA Reauthorization Act of 2018.
- Lactation Rooms and Nursing Mothers Rooms best practices.



# Presenters

## **Maria D. Wiley, MBA, CFE**

Senior Director, Audit, Risk Management, &  
Procurement

Indianapolis Airport Authority

## **Heather T.S. Karch, AIA, LEED BD+C**

Aviation Facilities and Infrastructure

Architecture Manager

Port of Seattle

# Applicable Statute

- FAA Reauthorization Act of 2018
  - Signed October 5, 2018.
  - Sec. 132 of P.L. 114-254 updates 49 U.S.C. Sec. 47107.




# FAA Reauthorization Act Requirements

- Sec. 47107 requires medium and large hub airports to provide a private lactation area beyond security in every terminal.
- Lactation area requirements include:
  - Located in the sterile area of each passenger terminal building
  - Not located in a restroom
  - Door that can be locked
  - Seat
  - Table or flat surface
  - Electrical outlet, and
  - Sink or sanitizing equipment.

# FAA Reauthorization Act Requirements (Cont'd)

- Lactation areas must be readily accessible to and usable by individuals with disabilities, including individuals who use wheelchairs.
  - Dept. of Justice Americans with Disabilities Act Standards for Accessible Design are the applicable accessibility standards.





# Timeline for Airport Compliance

- Airports must be in compliance with the new lactation area and changing table requirements by October 1, 2020 in order to be eligible for new grants.
- Airports may use AIP funds to build a lactation room.



# Exceptions

- Existing lactation areas.
- Construction or maintenance activities make it impracticable or unsafe to add the lactation area.





# Related Requirements

- Baby changing table in one men's and one women's restroom, in each airport passenger terminal building.




Figure 308.2.2  
Obstructed High Forward Reach



# Final Thoughts & Questions



# Contact Information



## Airport Disability Compliance Program

2300 E. Devon Avenue, Suite 440

Des Plaines, IL 60018

Phone: (847) 294-7209

Email: [9-AGL-ADA-504@faa.gov](mailto:9-AGL-ADA-504@faa.gov)

Jonathan Klein ([Jonathan.Klein@faa.gov](mailto:Jonathan.Klein@faa.gov))

Team Lead, Specialist for Alaskan and Western-Pacific regions

Elisha Luyeho ([Elisha.Luyeho@faa.gov](mailto:Elisha.Luyeho@faa.gov))

Specialist for Southwest and Southern regions

Sophia Soler ([Sophia.Soler@faa.gov](mailto:Sophia.Soler@faa.gov))

Specialist for New England and Eastern regions

Ty Thomas ([Tyrone.Thomas@faa.gov](mailto:Tyrone.Thomas@faa.gov))

Specialist for Great Lakes, Central, and Northwest Mountain regions